

# Homework 5

Elizabeth Hunt

October 30, 2023

## 1 Question One

See LIZFCM → Matrix Routines → `lu_decomp` & `bsubst`.

The test `UTEST(matrix, lu_decomp)` is a unit test for the `lu_decomp` routine, and `UTEST(matrix, bsubst)` verifies back substitution on an upper triangular  $3 \times 3$  matrix with a known solution that can be verified manually.

Both can be found in `tests/matrix.t.c`.

## 2 Question Two

Unless the following are met, the resulting solution will be garbage.

1. The matrix  $U$  must be not be singular.
2.  $U$  must be square (or it will fail the `assert`).
3. The system created by  $Ux = b$  must be consistent.
4.  $U$  is in (obviously) upper-triangular form.

Thus, the actual calculation performing the  $LU$  decomposition (in `lu_decomp`) does a sanity check for 1-3 will fail an `assert`, should a point along the diagonal (pivot) be zero, or the matrix be non-factorable.

## 3 Question Three

See LIZFCM → Matrix Routines → `fsubst`.

`UTEST(matrix, fsubst)` verifies forward substitution on a lower triangular  $3 \times 3$  matrix with a known solution that can be verified manually.

## 4 Question Four

See LIZFCM → Matrix Routines → `gaussian_elimination` and `solve_gaussian_elimination`.

## 5 Question Five

See LIZFCM → Matrix Routines → `m_dot_v`, and the `UTEST(matrix, m_dot_v)` in `tests/matrix.t.c`.

## 6 Question Six

See `UTEST(matrix, solve_gaussian_elimination)` in `tests/matrix.t.c`, which generates a diagonally dominant  $10 \times 10$  matrix and shows that the solution is consistent with the initial matrix, according to the steps given. Then, we do a dot product between each row of the diagonally dominant matrix and the solution vector to ensure it is near equivalent to the input vector.

## 7 Question Seven

See `UTEST(matrix, solve_matrix_lu_bsubst)` which does the same test in Question Six with the solution according to `solve_matrix_lu_bsubst` as shown in the Software Manual.

## 8 Question Eight

No, since the time complexity for Gaussian Elimination is always less than that of the LU factorization solution by  $O(n^2)$  operations (in LU factorization we perform both backwards and forwards substitutions proceeding the LU decomp, in Gaussian Elimination we only need back substitution).

## 9 Question Nine, Ten

See LIZFCM Software manual and shared library in `dist` after compiling.